





Integrity ★ Service ★ Excellence

Natural Materials and Systems

Date: 7 MAR 2013

Dr. Hugh C. DeLong
Division Chief
AFOSR/RTD
Air Force Research Laboratory



including suggestions for reducing	completing and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar DMB control number.	arters Services, Directorate for Inf	formation Operations and Reports	, 1215 Jefferson Davis	Highway, Suite 1204, Arlington	
1. REPORT DATE 07 MAR 2013	2 DEPONT TYPE			3. DATES COVERED 00-00-2013 to 00-00-2013		
4. TITLE AND SUBTITLE			5a. CONTRACT NUMBER			
Natural Materials		5b. GRANT NUMBER				
				5c. PROGRAM I	ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Air Force Office of Scientific Research ,AFOSR/RTD,875 N. Randolph,Arlington,VA,22203				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAII Approved for publ	LABILITY STATEMENT ic release; distributi	ion unlimited				
13. SUPPLEMENTARY NO Presented at the A	otes FOSR Spring Revie	w 2013, 4-8 March	, Arlington, VA.			
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC		17. LIMITATION OF	18. NUMBER	19a. NAME OF		
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	OF PAGES 28	RESPONSIBLE PERSON	

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and

Report Documentation Page

Form Approved OMB No. 0704-0188



2013 AFOSR SPRING REVIEW PORTFOLIO OVERVIEW



NAME: Dr. Hugh C. De Long

BRIEF DESCRIPTION OF PORTFOLIO:

The goals of this program are to: 1) study, use, mimic, or alter how biological systems accomplish a desired (from our point of view) task, and 2) enable them to task-specifically produce natural materials and systems. Both goals are to help us in our efforts to farm biology for useful science for future USAF technologies.

LIST SUB-AREAS IN PORTFOLIO:

<u>BioMimetics</u> - Study principles, processes, designs as well as manipulate sensors/processing systems. Mimicking of sensor denial systems.

<u>BioMaterials</u> - Mimicking of natural materials or systems. Using organisms as natural material factories for new materials. Using existing natural materials/organisms as novel materials.

<u>BioInterfacial</u> <u>Sciences</u> - Biotic-biotic or the biotic-abiotic interface. Bionano and biomeso technology. Self-assembly.



Scientific Challenges



- Bio-camouflage Understanding the biochemistry of each element used in a pattern and how the animal controls those elements neurologically.
 - Payoff: Would make current camouflage ideas obsolete.
- Peptide mediated materials synthesis Looking at how the peptide initiates binding and what is determining the strength of that binding
 - Payoff: Get to a predictive state for sequence or material.
- Structural Coloration How does the animal create the hierarchical assembly; what role does each assembly play in the formation of color
 - Payoff: Create new paradigm for development of highly ordered biophotonic nanostructures.
- Silk Trying to understand how silks can stabilize enzymes, etc.
 - Payoff: Enable use of more sensitive biosensors by eliminating degradation issues with storage and long term usage
- Silk Understand how the structure of the hierarchical assembly is changed by processing
 - Payoff: Enable the recovery of desirable properties in silk composites³



Scientific Challenges - Continued



- Chromophores To understand the biochemistry of a newly discovered chromophore with radically different mechanism
 - Payoff: New materials in desired wavelength regions
- Cell-Directed Assembly Getting cell to build nanostructured architectures with engineered bio/nano interfaces w/o rejection
 - Payoff: Cellular factories for nano-architectures
- Bionanocombinatorics Incorporation of learning into decision making of structural elements in combinatorial arrays
 - Payoff: Get rational design of combinatorial arrays.
- Programmable Materials Make individual element properties independent of the designed materials bulk properties
 - Payoff: Creation of materials by design: both existing and new.





Transformational Opportunities



- Programmable Materials this is a new program with lots of opportunity with materials construction at nanometer scale for macro-molecular properties
 - will transform the way we approach materials synthesis and enable synthesis of materials that were unattainable before.
- Silk biomolecular stabilization of enzymes and other biomolecules by silk in film and fiber
 - leads to new method to fabricate sensors, etc; stabilization of vaccines
- Biocamouflage regeneration of coloration assemblies and their control both in pattern generation and in growth
 - Will impact the way we think about pattern construction, and control;
 could impact work in tissue regeneration as well.
- Structural Coloration understanding the biological strategies involved in the manipulation of light, and structural color in biophotonics
 - it will produce new processing technologies to fabricate bio-inspired tunable optical architectures with optimal structure and properties at multiple length scales.



Other Organizations That Fund Related Work



- Chromophores I currently have two grants plus work in AFRL. The work of other organizations is almost exclusively on reporter technology. The interest of the AFOSR program is on wavelength, intensity, and lifetime as it pertains to marking items.
- Silk DARPA has contributed to my existing program. ARO has two grantees and a joint funded effort with me. NSF has several single PI grants.
- Structural Coloration/Bio-Camouflage MURI with ONR focused on vision aspect. ARO has a single grant with ICB PI. NSF has just single PI grants. AFOSR program is the largest program.
- Biomolecular assembly A number of funding organizations are interested in this area, so the AFOSR program is focused on soft lithography, peptide binding, and self or directed assembly for materials. AFRL program closely tied in with this group.
- Bionanocombinatorics and Programmable Materials too new for anyone else to be in. These are funded through BRI and a MURI program.
- NSFs biomaterials focus on complexity, hierarchy, dynamics & adaption, healing, and morphogenesis. Focus very different from mine



Program Trends – BRI is biggest impact



- Chromophores/Bioluminescence Bio-X STT phase 1 focus. One of its discoveries are now used by AFRL TDs, Navy & several Univ Pl's
 - Bio-camouflage FY09 PBD 709 program: iridiphores, leucophores,
 chromatophores, papillae, control system. Linked: FY11 AFRL/RX pgm
 Program under look for focusing next year.
 - Structural Coloration –several PIs moving in and out; MURI (Harvard)
 - Biopolymers Mainly silk but looking at other biopolymers. The silk work is well integrated with AFRL; many exchanges of personnel & material. Narrowing silk focus to Spider and Silkworm only. Reducing cellulose footprint.
 - Biomolecular assembly/Programmable Materials BRI program, MURI (Northwestern), MURI (Georgia Tech), rest has remained constant.
 - Peptide Mediated Materials Synthesis The efforts are focused on discovering the nature of the mechanism behind this.
 - Cell-Directed Assembly Focused on survival and synthetic biology which includes pathway efficiency.
 - Biocombinatorics BRI looking at Bio based combinatorics from a bio-nano-info basis



Transitions



- AFRL/RX: Gold nanoparticle binding peptide Nat Rosi (Under AFOSR MURI)
- AFRL/RX: Peptide functionalized Nanoparticles for Cr6 sensing (transition to 6.2/6.3 program at AMC)
- AFRL/RX: Peptide functionalized nanoparticles wireless sensing platform GE GRC
- Northwestern: Nanoparticle Lattice Pressure Sensor, US patent disclosure 20122.
- Northwestern: A General Method for Achieving Nucleic Acid-Nanoparticle Conjugates, US 61/577, 419)
- Northwestern: "Hard-Tip Active Spring Lithography" by Keith A. Brown; Daniel J Eichelsdorfer; Xing Liao; Chad A. Mirkin; Boris Rasin; Wooyoung Shim 61/719,918.
- Northwestern: "Multifunctional Graphene-coated Scanning Probes Arrays" by Keith A. Brown; Xing Liao; Chad A. Mirkin; Boris Rasin; Wooyoung Shim; Xiaozhu Zhou 61/671,653.
- Northwestern: "A Method for Tuning the Spring Constant of Cantilever-Free Tip Arrays" by Keith A. Brown; Daniel J Eichelsdoerfer; Chad A. Mirkin 61/724,760
- UNM: US 61/638,315 Cell-Based Composite Materials with Programmed Structures and Functions, filed 4/25/2012
- UNM: US 13/484,139 Living Cell-Based Biosensor Device that Outputs Signals of Differing Types when Detecting an Analyte, filed 5/30/2012
- UNM: US 61/682,861 Robust Process-Compatible Spin-on Ultra Low-K Mesoporous Silica, filed 8/13/2012
- UNM: US 61/701,575 Formation of Polypeptide Thin Film Using Atomic Layer Deposition, filed 9/14/2012
- Connecticut College DNA Plasmid technology provided to 11 different university labs
- UCSD Bennett Ibey, Fort Sam, Houston, TX (AFRL) (brittlestar bioluminescence for ecotoxicology)₈
 (Deheyn DD)
 Distribution A: Approved for public release; distribution is unlimited






Research

STATUS QUO

NEW INSIGHTS

Morphing and modeling: dynamic 3D skin and brilliant white structural coloration in cephalopods

Roger Hanlon¹, L. Mäthger¹, J. Allen¹, A. Kuzirian¹, G. Bell¹, S. Senft¹, P. G.-Bellido, T. Wardill¹, M.





¹Marine Biological Laboratory, Woods Hole, MA; ²Texas A&M, College Station, TX; ³AFRL/RX WPAFB; ⁴, Brown University, Providence, RI

Biologically inspired approach to development of diffuse and textured camouflage materials

Efficient light diffusers

Commercially available diffusers rely on high-index contrast (e.g., using titania nanoparticles) and are physically abrasive.

Adaptable 3-dimensional skin texture

3-D texture has not yet been incorporated in modern camouflage materials. Texture is added in the form of additional structures, such as "plant" materials etc.

Cephalopod skin – inspiration for camouflage materials

Leucophores appear to provide both high reflectivity and near-Lambertian white scattering with a low-index contrast system. They are flexible and work under wet and dry conditions.

Cephalopod *papillae* produce dynamic 3-D skin texture along a broad continuum from smooth to highly rugose. The visual sensori-motor system of rapid adaptive camouflage provides novel bio-inspired approaches to materials science.

MAIN ACHIEVEMENTS

1) Novel programming of 3D electron microscopy data enabled segregation and imaging of a single leucophore with 12,000 spheres. RI measured directly via holography. Simulation & modeling achieved.



SINGLE Leucophore fully characterized and modeled. Spheres (250-2000nm) contain reflectin proteins.

2) Detailed histology indicate papilla is a muscular hydrostat; neurophysiological expansion and retraction achieved (image A-D).



HOW THEY WORK

The ultrastructure of passive leucophores enables nearly perfect diffusion of incident light. Papillae are under neurological control and the animal is has never been achieved - leucophores may able to achieve a range of textural states via a muscular hydrostat system.

ASSUMPTIONS AND LIMITATIONS

The main limitation is that this bio-inspired material is restricted to the cephalopod system. While it has evolved in the marine environment, its adaptation for other uses (terrestrial, aviation) is conceivable.

Current impact

- 1) Leucophores: first full characterization and modeling of a single cell; refractive index measured; reflectin proteins discovered in leucosomes. Randomly ordered system of spheres generates incoherent scattering.
- 2) Papillae: simple small papillae characterized by histology as muscular hydrostats. Complex musculature arrangement gives insight into compliant skin and biomechanics of extension.

Planned Experiments

- -Leucophores: quantify & explain different ratios of spheres and platelets in cuttlefish; determine how pyjama squid produces white with platelets only.
- -Papillae: follow new leads on neural control; comparative histology on other papillae types to investigate different mechanisms of extension.

Research goals

camouflage.

White reflection with soft nanostructures pave the way to this capability. This study also aims to elucidate the biomechanics and control of 3-D skin

papillae that provide dynamic textural

END-OF-PHASE


GO







- Aim 1: Ultrastructural analysis.












SDP = Small dorsal papillae

scale bars = 2mm



Morphology suggests **muscular hydrostatic** function: <u>muscle cells do two things</u>: (1) evoke movement (2) provide structural support in the absence of rigid elements.

Publication:

Journal of Morphology

Cuttlefish Skin Papillae Possess Morphology Suggesting a Muscular Hydrostatic Function for Rapid Changeability

Justine J. Allen, 1,2* George R.R. Bell, 2 Alan M. Kuzirian, 2 and Roger T. Hanlon 2,3

¹Department of Neuroscience, Brown University, Providence, Rhode Island 02912

²Marine Biological Laboratory, Woods Hole, Massachusetts 02543

³Department of Ecology and Evolutionary Biology, Brown University, Providence, Rhode Island 02912



Different Types of Muscular Mechanisms





S. apama

















buckling



elastic stretching







opposing muscle groups

13




Before Stimulation -> After Stimulation(





"On nerve"





"Off nerve"







NEW INSIGHTS

Spider Gland Fluids: From Protein-rich Isotropic Liquid to Insoluble Super Fiber Gregory P. Holland and Jeffery L. Yarger, ASU



Spider Silk

- •Comprised almost entirely of protein
- •Primary amino acid sequences known
- •Proteins can be produced biosynthetically
- •Protein secondary structure (folding) is important for fiber mechanical properties

Understanding spider silk and its production at the molecular level

- •Gain insight on secondary structure by studying fibers with solid-state NMR & XRD
- Elucidate the molecular mechanisms responsible for spider silk production by studying the gland fluid with magnetic resonance (NMR/MRI) and other methods


123.7 122.7 119.7 110.7 109.8 108.2 ¹⁵N Plane (ppm) Ala-Cβ Gin-Cβ Black Widow MA Gland Gly-Cα Ala-Cα Gin-Cα Gly-Cα Ala-Cα Gln-Cα Gly-Cα Ala-Cα Gln-Cα Ala-Cα Gln-Cα Gly-Cα Ala-Cα Gln-Cα Gly-Cα Ala-Cα Ala-Cα

- 3D High-resolution (HR) liquid-state NMR on silk protein in the major gland
- Site specific resonance assignment for protein structure and dynamic studies

CHARACTERIZING SPIDER GLAND FLUIDS

MAIN ACHIEVEMENTS:


- •We have shown with HR-MAS NMR that the two silk proteins (MaSp1 and MaSp2) in the gland are in an unstructured, random coil state
- •Silk protein dynamic studied on ¹⁵N-labeled glands with ¹⁵N/¹H HSQC-NOE and relaxation measurements
- New insights into silk protein flexibility and nanosecond dynamics from these HR NMR studies



 Continued development of MRI for probing protein structure and dynamics within the silk glands of live spiders *In vivo*

Diffusion Weighted Image of Black Widow &

Distribution A: Approved for public release: distribution is unlimited



IMPACT

IMPAC

QUANTITATIVE

- •Understanding the conditions for converting gland fluids to fibers rich in secondary structure is the key to synthetic spider silk
- •Findings regarding optimal conditions for converting the gland fluid to a β -sheet rich fiber are transferred to groups producing synthetic spider silks to optimize the spinning process
- •Developed PDF XRD method for measuring β-sheet domain size in natural silk fibers, processed glands, and synthetic spider silks
- •We continue to develop MRI with localized spectroscopy and diffusion weighted imaging to interrogate the spider silk producing process *In vivo*

END GOAL:

To elucidate the molecular mechanisms and chemistries for converting spider gland fluids to high performance fibers.




ND-OF-PHASE GOAL



Spider Silk Glands



Spider MRI





Tail – Protein Synthesis Secretion Gland – Accumulation/Storage Duct – Shear/Dehydration/pH/Salt Spinneret – Final fiber



Major



¹³C HR-MAS NMR of Major Ampullate Glands








Nephila clavipes
U-13C15N-Alanine









¹H, ¹³C Chemical Shifts Indicate Random Coil¹










Random Coil




[1] Jenkins et al. Soft Matter, 2012, 8, 1974.





H/D Amide Exchange: Black Widow Major Glands





QUANTITATIVE

GOAL

Ш

S

4

F-PH

END-0



Silk Quality and Spin-ability



(A) Confused understanding of the properties of natural silk fibres: WHY?


- Poor modeling and limited understanding of native/natural silks
- **(B)** Lacking ability to spin quality fibres using natural extrusion technology: WHY?
- need to better understand the relationships between protein phase-transitions and the spinning ducts.

(A1) New link established between silk properties and filament dimensions.


- (A2) Novel insights into differences between live and dead silk proteins.
- **(B1)** Rheology, Thermo Mechanical and a range of Spectroscopies are providing key data.
- **(B2)** A novel *Aquamelt* hypothesis tests for generic principles of silk spinning.

SCIENTIFIC ACHIEVEMENTS

- (a) Novel insights into fibre properties (published).
- (b) Novel insights into fibre spinning (submitted)



- (c) Further progress towards reliable reconstitution of silk materials (unpublished).
- (d) Novel insights into silk nanoscale ribbon-films



Other Achievements: (a) Vollrath, Porter and Holland gave invited key-note lectures at major conferences, (b) Three PhD theses submitted/awarded, (c) Chris Holland was awarded a prestigious Career Advancement Grant and also assumed Lectureship in Materials at Sheffield University

(a) Scientific Citations (b) Press Publicity (c) New Silk Dope (d) Silk Film Research (e) Uptake of Model

(e) Uptake of Model




(a) To create/prepare novel silks for experimental evaluation.

- (b) To overcome the differences between native and reconstituted silks.
- (c) To integrate natural silk composites into hybrid synthetic/silk composites.

Aquamelts: A transformative hypothesis





Aquamelt: a naturally hydrated polymeric material able to solidify at environmental temperatures through a controlled stress input



Understanding Biotic-Abiotic Interactions Rajesh R. Naik AFRL/RXBN




QUANTITATIVE

OF PHASE

Understanding the interaction of biomolecules with inorganic surfaces


- Directed supramolecular assembly of nanostructures to give rise to unique physical properties
- Control nanoparticle inte




- Understanding bioticabiotic interactions
- Developing modeling and experimental tools to
- · Bioenabled assembly of nanomaterials with unique properties
- Rational design of bimolecules with desired inorganic interactions


MAIN ACHIEVEMENTS


• Understanding the role of peptide multivalency on metal interaction






 Gold nanoparticles that exhibit peptids isomerase-like activity - HPLC for chiral separation





 Protein cages for tuning the reactivity of energetic materials




IMPACT ACHIEVED

- Better understanding of biotic-abiotic interactions to create materials with tailored properties IMPAC¹
- Selective functionalization of graphene
- Biofunctionalized nanoparticles exhibit unique optical properties



- Demonstrate the use of biomolecules to recognize, organize, and assemble materials
- Understand bioticabiotic interaction using experimental and computational tools

Protein Cages as Agent Carriers




Targeting tag

Agent (drug, contrast agents, nanomaterials)



- Protein cages tailored as carriers
- Facile modification of internal or external surfaces (addressable molecular components)
- Monodispersed
- Attachment of targeting ligands for localized delivery (recombinant engineering)
- Loading of cargo (internally or surface)




- Constrained synthesis of nanoparticles
- Decontamination: Heavy metal sequestration
- Catalysts: Photoreduction capabilities of Cr, Ti.
- Magnetic separation: CoPt nanoparticles
- Biomedicine: drug delivery




Ammonium Perchlorate Loaded Apoferritin-nAl Hybrid







(~440 AP/protein cage)

Size exclusion plot










0.04 s 0.08 s 0.12 s 0.16 s




Bio-thermite Reaction






(~40-44 cages/nAI)



Distribution A: Approved for public release; distribution is unlimited



Exotherm appears at 300°C

Temperature (C)

600

400

 $T_m(nAI)$

800


- Unreacted nAl present with
- 1-layer

200



LBL Assembled Protein Cages on nAl






Distribution A: Approved for public release: distribution is unlimited




Summary Energetics
















- Protein cages offer the ability to encapsulate and stabilize reactive components, interact with nAl, and quickly deliver components to the surface.
- Ferritin used in a single or multi-layer structure leads to greater energy release and enhanced kinetics.
- Reactivity can be controlled by dialing in the number of protein layers added on nAl or by changing the protein contents.
- Each protein layers can be customized with inorganic materials, oxidizing agents, and/or explosive materials on demand.

Distribution A: Approved for public release: distribution is unlimited



SUMMARY



- This represents basic research support for a broad range of biological science initiatives to provide the background and innovation necessary for the future development of biomaterials, devices and biosensors and their incorporation into future Air Force weapons systems.
- To accomplish this, an increasing emphasis will be placed on research that supports the following areas: biooptics, composites, biocombinatorics, directed self-assembly, and programmability.
- Program Impacts:
 - Understanding structure and mechanism of Leucophore and papillae
 - Investigation of silk structure and function
 - Bio-assembly of catalytic subunits

